
MOTIP DUPLI



Buildup of explosive mixtures possible without sufficient ventilation.

(Contd. on page 2)

Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.06.2015

Version number 5

Revision: 11.06.2015

Trade name: MOTIP DECO EFFECT GRAFFITI-EX

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

· Dangerous components:			
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane	🚸 Flam. Gas 1, H220; Press. Gas C, H280	5-<10%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane	🚸 Flam. Gas 1, H220; Press. Gas C, H280	5-<10%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane	🚸 Flam. Gas 1, H220; Press. Gas C, H280	<2.5%

· Additional information:

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1 67/548 EU), so the classification as carcinogen need not to apply.

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, bluspoeder of waterstraal. Grotere brand met waterstraal of met schuim. Vaten met water afkoelen.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters -

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

(Contd. of page 1)

⁻ GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.06.2015

Version number 5

Revision: 11.06.2015

Trade name: MOTIP DECO EFFECT GRAFFITI-EX

(Contd. of page 2)

- Do not allow to enter sewers/ surface or ground water. Do not allow product to reach sewage system or any water course. • 6.3 Methods and material for containment and cleaning up:
- Do not flush with water or aqueous cleansing agents Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Observe official regulations on storing packagings with pressurised cou
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required. • Further information about storage conditions:
- Do not seal receptacle gas tight. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- Storage class: 2B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm

Carc (if more than 0.1% of buta-1.3-diene)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. • **Respiratory protection:** Not required.
- Protection of hands:



Protective gloves

Solvent resistant gloves

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.06.2015

Version number 5

Revision: 11.06.2015

GB

Trade name: MOTIP DECO EFFECT GRAFFITI-EX

(Contd. of page 3) In case of contact with spray dust protective gloves made of butyl shoud be used (min. 0.4 mm thick), e.g. KCL Camatril, article no. 898 or similar products The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves Natural rubber, NR Butyl rubber, BR

Penetration time of glove material Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min
Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

General Information Appearance: Form: Colour: Odour: Odour threshold:	Aerosol According to product specification Characteristic Not determined.
Form: Colour: Odour:	According to product specification Characteristic
Odour:	Characteristic
Odour threshold:	Not determined
	nor accommen.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
Flash point:	Not applicable, as aerosol.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	365 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Explosion limits:	
Lower:	1.3 Vol %
Upper:	9.5 Vol %
Vapour pressure at 20 °C:	0.3 hPa
Density at 20 °C:	0.95 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.06.2015

Version number 5

Revision: 11.06.2015

Trade name: MOTIP DECO EFFECT GRAFFITI-EX

		(Contd. of page 4)
· Solvent content: VOC-(EU)		
· VOC-EU%	163.1 g/l 17.24 %	
 Solids content: 9.2 Other information 	66.2 % No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- $\cdot \ \textbf{10.6 Hazardous decomposition products:} \ No \ dangerous \ decomposition \ products \ known.$

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity
- · Primary irritant effect:
- Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information: Vapours have narcotic effect.

SECTION 12: Ecological information

· 12.1 Toxicity

×

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- $\cdot \textit{Additional ecological information:}$
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

 \cdot European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other dangerous substances

(Contd. on page 6)

GB

Page 6/7

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.06.2015

Version number 5

Revision: 11.06.2015

Trade name: MOTIP DECO EFFECT GRAFFITI-EX

	(Contd. of page 5)
15 01 04	metallic packaging
15 01 11*	metallic packaging containing a dangerous solid porous matrix (for example asbestos), including
	empty pressure containers

· Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	UN1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	
14.3 Transport hazard class(es)		
ADR		
*		
Class	2 5F Gases.	
Label	2.1	
Class Label	2.1 2.1	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Warning: Gases.	
Danger code (Kemler):	-	
EMS Number:	F-D,S-U	
14.7 Transport in bulk according to Ann		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	1L	
Excepted quantities (EQ)	Code: E0	
Transport category	<i>Not permitted as Excepted Quantity</i> 2	
Tunnel restriction code	2 D	
	~	
IMDG Limited quantities (LQ)	1L	

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.06.2015

Version number 5

Code: E0

Revision: 11.06.2015

(Contd. of page 6)

Trade name: MOTIP DECO EFFECT GRAFFITI-EX

 \cdot Excepted quantities (EQ)

Not permitted as Excepted Quantity

UN1950, AEROSOLS, 2.1

· UN "Model Regulation":

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture .

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.

• Contact: Anwendungstechnik

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

Flam. Gas 1: Flammable gases, Hazard Category 1

Flam. Gas 1. Flammable gases, Hazara Category 1 Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas C: Gases under pressure: Compressed gas